


PINK PROVIDES:

- 1 Set of Rib Arch Metals
- 1 Rib Arch Fabric
- 2 Base Fabrics
- Extra Pop Buttons


YOU PROVIDE:

- Site Plan/Event Layout
- Three Person Team
- Plastic Drop Cloth
- Shears or Diagonal Cutters
- Gloves
- Sewing Kit
- Zip-Ties
- 8 Sandbags




Additional Support Please Call:
212-253-6666 or
After Hours: 646-853-3900

Metals are labeled for easy assembly. Simply match the corresponding parts, depress the button, and slide together.




1. Join the pieces that create the two arch forms and lay them down.




x 2

Prior to assembly, lay out drop cloth in designated work location. Before working with fabric, wash hands or put on gloves.

2. Connect the two arches with the small pieces.




3. Assemble the two base structures for the Rib Arch using an allen key.




Any and all rights (including, without limitation, copyright, design patent, use patent and trademark) in and to all designs, concepts, renderings, or graphics (collectively, "Design") represented in this document were created by Moss Inc. and remain the sole and exclusive property of Moss Inc. Use of any such Design by the recipient without required purchase is strictly prohibited. ©2010

4. Spread out a drop cloth underneath the frame as close to the final location as possible.




5. Begin sliding the main fabric over the completed top section of the Rib Arch. Leave the fabric gathered so that the ends of the frame are still accessible.




One person will need to be on a ladder in order to get the fabric over the top of the Arch.

6. Have two people slide the fabric one ahead of the other, making sure to align edges. The third person should make sure the fabric is aligned to the frame.




7. Locate the base frame pieces and place them near the ends of the arched piece. After the pieces are connected, the main fabric will go down the sides of the bases. The base bottom fabrics are separate pieces that get zipped on last.




Zippers shown in red.

Any and all rights (including, without limitation, copyright, design patent, use patent and trademark) in and to all designs, concepts, renderings, or graphics (collectively, "Design") represented in this document were created by Moss Inc. and remain the sole and exclusive property of Moss Inc. Use of any such Design by the recipient without required purchase is strictly prohibited. ©2010

8. Attach the arched piece with the fabric on it to the bases. Have two people hold two ends of the arched piece while the third pops its ends onto the bases.




9. Pull the main fabric down the whole Arch, and then zip the base fabrics on. Have two people lift one end of the Rib Arch, while the third zips on the base fabric. Repeat with the other end to zip on the other base fabric.




Detail shown without main Rib Arch fabric.

10. Have two people pull the fabric over the metal before lifting the second end of the Arch and zipping its bottom. The fabric is strong, so we encourage pulling hard!



Any and all rights (including, without limitation, copyright, design patent, use patent and trademark) in and to all designs, concepts, renderings, or graphics (collectively, "Design") represented in this document were created by Moss Inc. and remain the sole and exclusive property of Moss Inc. Use of any such Design by the recipient without required purchase is strictly prohibited. ©2010

11. You may need to lay the Arch down in order to carry it to the final location. Have two people stand at each base while the third brings the top down gently. Carry by lifting these same points simultaneously.




To stand the Arch, remain in the same positions and have the third person walk the top of the Arch into upright position.

12. Have two people support the Arch while the third unzips the bases and places sandbags/weights inside. Make sure the weights sit on the actual metals.



Approximate
sandbag placement

13. The Rib Arch is now complete.



15. Final Note:

Metals:

After use, dismantle. Each metal is labeled, so please place back in corresponding labeled bag. If possible, zip-tie pieces together.

Under NO circumstances should the metals be taped to one another.

Fabric

Each fabric is labeled on the Pink Inc. tag and should be placed back in the corresponding labeled bag.

Any and all rights (including, without limitation, copyright, design patent, use patent and trademark) in and to all designs, concepts, renderings, or graphics (collectively, "Design") represented in this document were created by Moss Inc. and remain the sole and exclusive property of Moss Inc. Use of any such Design by the recipient without required purchase is strictly prohibited. ©2010